Adult Tobacco Survey 2 Winter 2001-02 Survey Results

Garfield County

First, I have some questions about your health. Would you say that in general your		400
health is		= 199
Excellent	21.5%	(± 6.2%)
Very good	35.6	(± 7.4)
Good Fair	28.1 10.9	(± 6.9) (± 4.6)
Or poor	3.8	(± 4.6) (± 2.6)
	0.0	(± 2 .0)
During the past 3 months, on how many days did you stay in bed for more than half the day because of illness or injury?		= 197
None	82.2%	(± 5.7%)
One day	7.6	(± 4.3)
More than one day	10.2	(± 4.2)
About how long has it been since you last visited a DOCTOR for a routine checkup?		- 100
		= 199
Within the past year (1-12 months ago)	78.6%	(± 6.3%)
Within the past two years (1-2 years ago)	11.3	(± 4.9)
More than two years ago Never	8.2 1.9	(± 4.1) (± 2.3)
Nevei	1.9	(± 2.5)
About how long has it been since you last visited a DENTIST for a routine checkup?		
	n =	= 198
Within the past year (1-12 months ago)	77.7%	(± 6.3%)
Within the past two years (1-2 years ago)	8.2	(± 4.1)
More than two years ago	13.3	(± 5.1)
Never	8.0	(± 1.5)
Next are a few questions about your health care coverage. Do you have any kind of health care coverage, including health insurance, prepaid plans such as an HMO, or		
government plans such as Medicare?		= 199
Yes	88.2%	(± 4.9%)
No	11.8	(± 4.9)

Created on 11/25/2003 Page 1 of 14

^{*} Estimates based on sample sizes less than 75 omitted

Among those with health care coverage:		
What type of health coverage do you use to pay for most of your medical care? Is i	t	
coverage through		n = 173
Your employer	36.2%	(± 7.7%)
Someone else's employer	10.3	(± 5.8)
A plan that you or someone buys on your own	15.3	(± 6.2)
Medicare	29.9	,
		(± 7.2)
Medicaid or Medical Assistance	4.0	(± 3.3)
Other	4.3	(± 3.1)
Are you currently		n = 199
Employed for wages	39.2%	(± 7.4%)
Self-employed	12.9	
Out of work		(± 5.4)
	3.6	(± 2.8)
Homemaker	9.7	(± 4.7)
Student	3.6	(± 3.0)
Retired	26.5	(± 6.4)
Or unable to work	4.5	(± 3.1)
No I would like to calculate a superior and the state of the same		
Now, I would like to ask you some questions about your personal history of tobaccouse. Have you, even once in your life, smoked a cigarette?)	n = 199
Yes	73.0%	(± 6.8%)
No	27.0	(± 6.8)
110	21.0	(± 0.0)
Among those who ever smoked a cigarette:		
How old were you when you first tried smoking cigarettes?		n = 143
average:	15.3	(± 0.7)
	_	
Have you smoked at least 100 cigarettes in your entire life? NOTE: 5 packs=100)	
cigarettes		n = 198
Yes	45.3%	(± 7.5%)
No	54.7	(± 7.5)
		, ,
Among those who ever smoked 100 cigarettes and smoked regularly:		
How old were you when you first started smoking cigarettes fairly regularly?		n = 91
average:	18.0	(± 0.9)
		,
Among those who ever smoked 100 cigarettes:		
Do you now smoke cigarettes every day, some days or not at all?		n = 95
	40.40/	
Every day	19.4%	(± 8.3%)
Some days	5.6	(± 5.3)
Not at all	75.0	(± 9.3)
Among every day and some day smokers:		
On average, about how many cigarettes per day do you smoke? NOTE: 1 PACK = 20)	
CIGARETTES		n = 24
		11 - 27

^{*} Estimates based on sample sizes less than 75 omitted

Created on 11/25/2003 Page 2 of 14

Current cigarette smoking prevalence:		n = 198
(every day or some day smokers among the whole population)	11.3%	(± 4.6%)
Among every day and some day smokers: What brand of cigarette do you smoke most often?		n = 24
Camel	*	*
Marlboro Other	*	*
Among every day and some day smokers: Is this brand menthol?		n = 23
Yes	*	*
No	*	*
Among every day and some day smokers:		
Are you currently smoking a brand with lower levels of nicotine or tar?		n = 24
Yes	*	*
No	*	*
This next question asks about smokeless tobacco. Have you ever tried usin smokeless tobacco, like chew, dip or snuff? IF NEEDED: Such as Copenhager Kodiak, Redman or Beechnut	١,	n = 199
Yes	31.5%	(± 7.3%)
No	68.5%	(± 7.3%)
Among those who ever used smokeless tobacco: On how many of the past 30 days did you use smokeless tobacco products?		n = 54
Zero	*	*
Less than 30	*	*
30 days	*	*
Current smokeless tobacco prevalence:		n = 199
(any use in the past 30 days among the whole population)	3.5%	(± 3.0%)
What about cigar smoking, including large cigars, cigarillos, and little cigars. How many cigars have you smoked in your life?		n = 197
None	70.7%	(± 7.0%)
One	5.0	(± 3.3)
2-5	5.9	(± 3.4)
6-20	4.6	(± 3.3)
More than 20	13.8	(± 5.5)
Among those who ever smoked a cigar: On how many of the past 30 days did you smoke a cigar, even just a puff?		n = 57
Zero	*	*
Less than 30	*	*
30 days	*	*

^{*} Estimates based on sample sizes less than 75 omitted

Created on 11/25/2003 Page 3 of 14

Current cigar smoking prevalence:		n = 199
(any use in the past 30 days among the whole population)	1.8%	(± 2.2%)
Have you ever tried smoking tobacco in a pipe?		n = 199
Yes No	22.3% 77.7	(± 6.4%) (± 6.4)
Among those who ever smoked a pipe: On how many of the past 30 days did you smoke tobacco in a pipe?		n = 44
Zero	*	*
Less than 30 30 days	*	*
Current pipe smoking prevalence:		n = 199
(any use in the past 30 days among the whole population)	1.0%	(± 1.6%)
Have you ever tried smoking bidis (BEEDIES)?		n = 199
Yes No	0.8% 99.2	(± 1.5%) (± 1.5)
Current bidi smoking prevalence:		n = 199
(any use in the past 30 days among the whole population)	0.0%	(± 0.0%)
Have you ever tried smoking clove cigarettes?		n = 199
Yes No	8.2% 91.8	,
Among those who ever smoked cloves:		
On how many of the past 30 days did you use clove cigarettes?		n = 14
Zero Less than 30	*	*
30 days	*	*
Current clove cigarette smoking prevalence:		n = 199
(any use in the past 30 days among the whole population)	0.0%	(± 0.0%)
Current tobacco use prevalence:		n = 199
(Currently smokes cigarettes, cigars, pipes, bidis, or cloves		
OR uses smokeless tobacco among the whole population)	15.2%	(± 5.4%)
Among former tobacco users: About how long has it been since you last used tobacco, that is, daily?		n = 70
Within the past year (0-12 months ago)	*	*
Within the past 5 years (1-5 years ago)	*	*
Within the past 15 years (5-15 years ago)	*	*
Or 15 or more years ago Never used regularly	*	*
* Estimates based on sample sizes less than 75 omitted		

Created on 11/25/2003 Page 4 of 14

Among current tobacco users: About how much do you usually spend on tobacco products every week? If	=		
NEEDED: On average, in a typical week		n =	= 31
Less than \$5	*		*
\$5-9	*		*
\$10-14	*		*
\$15-24	*		*
\$25-34	*		*
\$35-44 \$45 or more	*		*
ψ43 of more			
Among current tobacco users:			
In the past month, did you buy tobacco on a Native American reservation?		n =	= 30
Yes	*		*
No	*		*
Among current and former tobacco users:	_		
These next questions ask about things that might make a person want to quit using tobacco. Do you agree or disagree with the following statement: People close to	-		
me were/are upset by my using tobacco. Do you	,	n =	= 93
	29.4%	•	
Strongly agree Somewhat agree	26.6		(± 10.0%) (± 10.0)
Somewhat disagree	12.0		(± 6.4)
Or strongly disagree	32.1		(± 10.7)
Among current and former tobacco users:			
Have any of your family or friends ever asked or advised you to quit using tobacco?			- 07
			= 97
Yes	57.5%		(± 10.7%)
No	42.5		(± 10.7)
Among current and former tobacco users who were ever advised to quit by family or friends:			
When was the last time a family member or friend advised you to quit?		n =	= 51
Within the past year (1-12 months)	*		*
Within the past three years (1-3 years)	*		*
Or 3 or more years ago	*		*
Among current and former tobacco users:			
Have any of the following health care professionals ever advised you to quit using tobacco A doctor?	3	n =	= 97
Yes	37.2%		(± 10.3%)
No	62.8		(± 10.3)

Page 5 of 14 Created on 11/25/2003

^{*} Estimates based on sample sizes less than 75 omitted

Among current and former tobacco users:		
Have any of the following health care professionals ever advised you to quit using tobacco A dentist?	9	n = 97
Yes No	13.9% 86.1	(± 7.3%) (± 7.3)
Among current and former tobacco users: Have any of the following health care professionals ever advised you to quit using tobacco A nurse?	g	n = 98
Yes No	18.4% 81.6	(± 8.0%)
Among current and former tobacco users: Have any of the following health care professionals ever advised you to quit using tobacco Another health care provider?	g	n = 96
Yes No	4.0% 96.0	(± 3.6%)
Among current and former tobacco users who were advised by a health care professional:		
When was the last time a health care professional of any kind advised you to qui using tobacco?	t	n = 43
Within the past year (1-12 months)	*	*
Within the past year (1-12 months) Within the past three years (1-3 years)	*	*
Or 3 or more years ago	*	*
Never advised to quit by a health care professional	*	*
Among current and former tobacco users who were advised by a health care professional:		
Did the health care professional who advised to quit offer any help, or refer you to a source of help to quit tobacco use?	a	n = 45
Yes	*	*
No	*	*
Among current and former tobacco users:		
How many times in your life have you seriously tried to quit using tobacco?		n = 95
0 1-2 3-5 6 or more	13.2% 52.4 24.8 9.6	(± 7.9%) (± 11.0) (± 9.7) (± 6.1)
Among current tobacco users: During the past year, did you not use tobacco for one day or longer because you were trying to quit?	u	n = 31
Yes	*	*
No	*	*

Created on 11/25/2003 Page 6 of 14

^{*} Estimates based on sample sizes less than 75 omitted

Among current and former (quit within in past year) tobacco users who are employed:		
Within the past year, has your employer offered any stop-smoking programs of other programs to help employees who want to quit using tobacco?	or	n = 13
Yes	*	*
No		
Among current and former (quit within in past year) tobacco users with health insurance:		
Does your health care insurance coverage pay for the cost of any help to quit usin tobacco, such as a stop-smoking program or nicotine patches, pills or other	_	
medications?		n = 24
Yes	*	*
No Don't know/Not sure	*	*
Don't know/Not suite		
Among current and former (quit within in past year) tobacco users:		
Have you heard about the Washington State "Quit-Line - a telephone suppo	rt	- 22
service to help people quit using tobacco?		n = 33
Yes No	*	*
INO		
Among current tobacco users:		
Would you like to quit using tobacco?		n = 29
Yes	*	*
No	*	*
Among current tobacco users who would like to quit:		
Are you seriously considering quitting tobacco use within the next 6 months?		n = 14
Yes	*	*
No	*	*
Among a command to be a considered who would like to quit in the ways 6 months.		
Among current tobacco users who would like to quit in the next 6 months: Are you planning to stop within the next 30 days?		n = 9
Yes	*	*
No	*	*
Among current tobacco users:		0.0
Readiness to quit, from the "Stages of Change" model		n = 26
Precontemplative	*	*
Contemplative Preparation	*	*
Next I have some questions about you Personner that your responses of	·o	
Next I have some questions about you. Remember that your responses a confidential. What is your age?	C	n = 199
18-29	9.8%	(± 4.7%)
30-49	31.5	(± 7.1)
50+	58.7	(± 7.5)

Created on 11/25/2003 Page 7 of 14

* Estimates based on sample sizes less than 75 omitted

I'm going to ask about your race and ethnicity. You can have more than one answer Are you White?	•	n =	: 199
Yes No	97.1% 2.9	•	(± 2.6%) (± 2.6)
I'm going to ask about your race and ethnicity. You can have more than one answer Are you Black?	·.	n =	: 199
Yes No	1.9% 98.1		(± 2.2%) (± 2.2)
I'm going to ask about your race and ethnicity. You can have more than one answer Are you Asian or Pacific Islander?	·.	n =	: 199
Yes No	1.4% 98.6		(± 1.7%) (± 1.7)
I'm going to ask about your race and ethnicity. You can have more than one answer	·.	n =	: 199
Yes No	6.0% 94.0		(± 3.6%) (± 3.6)
I'm going to ask about your race and ethnicity. You can have more than one answer Are you Hispanic or Latino?	.	n =	: 198
Yes No	1.3% 98.7		(± 1.9%) (± 1.9)
Are you		n =	: 199
Married Divorced Widowed Separated Never been married Or a member of unmarried couple	63.1% 14.2 9.7 1.9 9.5 1.6		(± 7.0%) (± 4.8) (± 3.6) (± 1.5) (± 4.6) (± 1.9)
How many children under the age of 18 live in your household?		n =	: 199
None 1 2 3 or more	71.2% 11.0 9.5 8.2		(± 7.0%) (± 5.0) (± 4.4) (± 4.3)
What is the highest grade or year of school you completed?		n =	: 199
Some high school or less Grade 12 (high school graduate or GED) College 1-3 years (some college, technical school, community college AA) College graduate (4 years) or beyond college	4.4% 32.9 36.4 26.4		(± 3.0%) (± 7.2) (± 7.3) (± 6.7)

Created on 11/25/2003 Page 8 of 14

^{*} Estimates based on sample sizes less than 75 omitted

Annual household income from all sources IF NEEDED: Annual household income before taxes.		n =	: 170
\$20,000 or less \$20,000 to less than \$50,000 \$75,000 or more	24.6% 51.3 24.1		(± 6.8%) (± 8.3) (± 7.4)
Gender		n =	: 199
Male Female	43.9% 56.1		(± 7.7%) (± 7.7)
How many people, including you, who live in your household currently smoke cigarettes, cigars, or pipes?	e	n =	: 199
0 1 2 3 or more	77.3% 17.3 3.8 1.6		(± 6.4%) (± 5.8) (± 2.7) (± 2.2)
On how many of the past 30 days has someone, including you, smoked cigarettes cigars, or pipes anywhere inside your home?	,	n =	: 199
0 days 1-29 days 30 days	85.7% 7.4 6.9		(± 5.2%) (± 3.8) (± 3.7)
If it were just up to you, would you let people smoke inside your home?		n =	: 196
Yes No	16.7% 83.3		(± 5.7%) (± 5.7)
Among those who are employed for wages (excluding self-employed): How many people are employed where you work? IF NEEDED: Facilities that share your same street address	е	n :	= 76
Less than 5 Between 5 and 9 Between 10 and 19 Between 20 and 99 Or 100 or more	23.1% 12.9 11.2 41.3 11.5		(± 11.0%) (± 8.2) (± 7.9) (± 12.1) (± 8.2)
Among those who are employed for wages (excluding self-employed): When you are at work, do you spend most of your time in an		n :	= 78
Office Store Restaurant Warehouse or factory Home Outdoors Car or truck Classroom/school Hospital Or somewhere else (SPECIFY:)	42.2% 4.7 1.4 4.4 5.2 12.4 1.7 6.7 3.9 17.2		(± 12.1%) (± 5.3) (± 2.8) (± 4.8) (± 5.2) (± 8.4) (± 2.4) (± 6.4) (± 3.6) (± 9.7)

* Estimates based on sample sizes less than 75 omitted

Created on 11/25/2003 Page 9 of 14

Among those who are employed for wages (excluding self-employed): The next questions are about secondhand smoke in your work place. Does you workplace have official rules that restrict smoking in any way?	r	n = 78
Yes No	81.6% 18.4	(± 9.5%) (± 9.5)
Among those who are employed for wages (excluding self-employed): Is smoking allowed in any of the following areas at your workplace Some or a indoor work areas?	II	n = 78
Yes No	10.9% 89.1	(± 8.7%) (± 8.7)
Among those who are employed for wages (excluding self-employed): Is smoking allowed in any of the following areas at your workplace Employed lunchrooms or lounges?	е	n = 78
Yes No	8.9% 91.1	(± 8.4%) (± 8.4)
Among those who are employed for wages (excluding self-employed): Is smoking allowed in any of the following areas at your workplace A designate indoor smoking area?	d	n = 78
Yes No	15.1% 84.9	(/
Among those who are employed for wages (excluding self-employed): In a typical week, how many hours would you say that you are in a room or car with secondhand smoke while you are working?	n	n = 75
Less than one hour 1-10 hours More than 10 hours	83.3% 10.5 6.2	(± 10.3%) (± 8.5) (± 6.8)
The next questions are about secondhand smoke. Secondhand smoke is smoke from someone else's cigarette, cigar or pipe. In general, would you say that breathing secondhand smoke is		n = 198
Not at all annoying to you A little bit annoying to you Somewhat annoying to you Or very annoying to you	10.1% 12.4 20.2 57.3	(± 4.4%) (± 5.1) (± 6.2) (± 7.5)
Would you say that breathing secondhand smoke is		n = 185
Not at all harmful A little bit harmful Somewhat harmful Or very harmful	67.1% 20.2 9.6 3.2	(± 7.4%) (± 6.2) (± 4.7) (± 2.7)

Created on 11/25/2003 Page 10 of 14

^{*} Estimates based on sample sizes less than 75 omitted

Do you agree or disagree with the following statement: All people should be protected from secondhand smoke. Do you)	n = 191
Strongly agree Somewhat agree Somewhat disagree Or strongly disagree	52.2% 22.3 15.3 10.3	(± 7.8%) (± 6.3) (± 5.6)
What about this statement: ALL CHILDREN should be protected from secondhand	I	
smoke. Do you		n = 196
Strongly agree	78.9%	,
Somewhat agree	14.1 4.5	(± 5.4) (± 3.4)
Somewhat disagree Or strongly disagree	2.5	(± 3.4) (± 2.4)
Do you think that smoking should be completely banned in restaurants?		n = 199
Yes	61.8%	(± 7.4%)
No	34.1	(± 7.2)
Don't know/Not sure	4.1	(± 3.1)
If there were a total ban on smoking in restaurants, do you think you would eat out	t	
more often, less often, or would it make no difference?	-	n = 196
More often	15.9%	(± 5.9%)
Less often	6.2	(± 3.3)
Make no difference	78.0	(± 6.5)
Do you think that smoking should be completely banned in bars and lounges?		n = 198
Yes	24.7%	(± 6.7%)
No	59.5	` ,
Don't know/Not sure	15.8	(± 5.5)
If there were a total ban on smoking in bars, do you think you would go out more	;	- 400
often, less often, or would it make no difference?		n = 186
More often	9.3%	(± 4.8%)
Less often Makes no difference	4.2 86.5	(± 2.7) (± 5.3)
wakes no difference	00.5	(± 5.5)
The next questions ask for your opinion about things that happen in your community. Do you agree or disagree with this statement: Laws banning possession of tobacco products by minors (children under 18) have been enforced.	I	
Do you		n = 199
Strongly agree	32.4%	(± 7.0%)
Somewhat agree	30.4	(± 7.1)
Somewhat disagree	12.0	(± 5.1)
Or strongly disagree Don't know/Not sure	12.0 13.1	(± 4.9) (± 5.0)
DOLL VIIOMUNOL PRIC	13.1	(± 3.0)

Created on 11/25/2003 Page 11 of 14

^{*} Estimates based on sample sizes less than 75 omitted

Generally speaking, how often do you see young people those under age	18	
smoking in your community? Would you say	n	= 187
Daily or almost daily	33.3%	(± 7.4%)
Couple of times per week	17.7	(± 5.9)
2-4 times per month	17.8	(± 6.2)
Once a month or less	19.7	(± 6.2)
Or never	11.4	(± 4.8)
During the past year, did you, yourself, ever buy or give someone under the age		- 100
18 tobacco products?	n	= 199

 $(\pm 1.9\%)$

Yes 1.5% No 98.5 (± 1.9)

Here is another statement: The city or town where I live has enough rules and laws to protect nonsmokers, including children, from secondhand smoke. Do you. . .

		n = 198	
Strongly agree		34.9%	(± 7.2%)
Somewhat agree		30.4	(± 7.2)
Somewhat disagree		12.6	(± 5.1)
Or strongly disagree		10.0	(± 4.3)
Don't know/Not sure		12.1	(± 4.6)

Have you seen or heard about any efforts or activities in your community or in schools to help reduce tobacco use among youth? IF NEEDED: This could include as part of your job

n = 198

Yes	66.0%	(± 7.2%)
No	27.1	(± 6.8)
Don't know/Not sure	6.8	(± 3.8)

Among those who have seen or heard of activities:

Have you participated in any efforts or activities in your community or in schools to help reduce tobacco use among youth? IF NEEDED: This could include as part of your job.

n = 130

Yes	27.2%	(± 8.5%)
No	72.8	(± 8.5)

Among those who have seen or heard of activities:

Some communities have organizations that specifically work on tobacco prevention activities. To your knowledge, has there been a local anti-tobacco or anti-smoking organization working in your community over the past few years?

n = 131

Yes	59.6%	(± 9.3%)
No	28.8	(± 8.5)
Don't know/Not sure	11.7	(± 6.2)

Created on 11/25/2003 Page 12 of 14

^{*} Estimates based on sample sizes less than 75 omitted

The next questions ask for your opinion on some statements about the harm from tobacco use. Please tell me if you agree with this statement: A pregnant woma		
could hurt her baby if she smokes. Do you	n	= 190
Strongly agree	83.9%	(± 5.5%)
Somewhat agree	9.8	(± 4.5)
Somewhat disagree	4.1	(± 2.8)
Or strongly disagree	2.2	(± 2.2)
Here is another statement: It is safe to smoke for a year or two, as long as you qu after that. Do you		= 199
Strongly agree	5.4%	(± 3.5%)
Somewhat agree	9.4	(± 4.5)
Somewhat disagree	14.8	(± 5.7)
Or strongly disagree	64.2	(± 7.3)
Don't know/Not sure	6.2	(± 3.2)
There are so many things that cause cancer, tobacco use is not going to make an	v	
difference. Do you	,	

Strongly agree	5.6%	(± 3.4%)
Somewhat agree	10.5	(± 4.6)
Somewhat disagree	12.5	(± 5.2)
Or strongly disagree	71.4	(± 6.9)

Some organizations are conducting campaigns to convince youth not to start using tobacco, and motivate adults to quit. During the past 30 days, how often have you seen commercials on TV about the dangers of tobacco use or about not smoking?

Every day	18.9%	(± 5.9%)
Couple times per week	27.8	(± 7.0)
Once per week	7.3	(± 4.0)
Couple times per month	8.8	(± 4.3)
Maybe once	6.8	(± 3.8)
Never	21.2	(± 6.0)
Don't know/Not sure	9.1	(± 4.4)

n = 199

Among current tobacco users who saw anti-tobacco TV ads:

Did the ad change your thinking about tobacco use to make you more in favor of quitting tobacco use, less in favor of quitting tobacco use, or did your thinking about tobacco use stay the same?

bout tobacco use stay the same?	_	n = 24
More in favor	*	*
Less in favor	*	*
Stayed the same	*	*

Page 13 of 14 Created on 11/25/2003

^{*} Estimates based on sample sizes less than 75 omitted

During the past 30 days, how often have you seen advertisements about the dangers of tobacco use or about not smoking on billboards, posters, or buses?	•	n = 198	
Every day Couple times per week Once per week Couple times per month Maybe once Never Don't know/Not sure	7.9% 12.6 6.0 11.3 8.7 47.1 6.3	(± 3.9%) (± 5.2) (± 3.7) (± 4.9) (± 4.1) (± 7.6) (± 3.6)	
Among those who have children and have seen anti-tobacco commercials: Have you talked to your child about any of the anti-tobacco commercials of advertisements you have seen?	·	n = 44	
Yes No	*	*	
Some tobacco companies make promotional items like clothing, hats, bags or other things with their brand on it. Would you ever use or wear something that has a tabases company large or picture on it?		n = 194	
tobacco company logo or picture on it? Yes No	21.7% 78.3	(± 6.6%) (± 6.6)	
During the past year, have you received a free sample or coupon for a free sample or cigarettes or other tobacco products?	f	n = 198	
Yes No	20.0% 80.0	(± 5.9%) (± 5.9)	
How do you feel about this statement: Tobacco companies should have the same rights to advertise their products as other companies. Do you	•	n = 193	
Strongly agree Somewhat agree Somewhat disagree Or strongly disagree	24.1% 31.7 15.6 28.6	(± 6.5%) (± 7.3) (± 5.7) (± 6.8)	
Among those with children ages 10-17 years old: Have you told your child specifically that you do not want him or her to use tobacco?			
Yes No	*	*	

Created on 11/25/2003 Page 14 of 14

^{*} Estimates based on sample sizes less than 75 omitted